

KAMINHORN



KANDALLOK ES KEMENYEK SZELLOZORENDSZEREK

KATALÓGUS CATALOGUE

KÉMÉNYEK CHIMNEYS

ROZSDAMENTES ACÉL & KERÁMIA

STAINLESS STEEL & CERAMIC



EN 1856-1 / EN 13063-1



ISO 9001



14001:2015


KAMINHORN

Kaminhorn is among the leaders in Southeast Europe in the production of professional chimney systems with ceramic and stainless-steel liners, certified at the European Union level. In Romania, it is the largest producer of professional chimneys for both residential and industrial use. The company has a production capacity of over 100,000 linear meters of chimneys per year, utilizing new and modern production lines that ensure superior quality of Kaminhorn products.

Recently, Kaminhorn has developed and certified ventilation solutions for buildings. The company continues to invest in this field of ventilation, which is becoming a priority for improving the quality of life in living spaces.

By exhibiting at specialized fairs in Europe (Verona 2022, Budapest 2025, etc.), Kaminhorn aims to find distributors and establish strong B2B partnerships that will be mutually beneficial in the long term.

Kaminhorn has also developed solid collaborations with European manufacturers of fireplaces and stoves (wood, pellet, gas, bioethanol), thus offering complete heating solutions with hundreds of models available.



KAMINHORN


Chimney Stainless Steel

The *KaminInox* double-wall chimney system is used both for residential and industrial purposes, with a resistance of up to **600°C**, and can be used with gas, solid or liquid fuel.

Kaminhorn Elite DW25 and *Elite DW25 Plus* - are complete chimney systems, produced in Romania, according to the latest technologies and quality standards, offering accessible solutions, efficiency, and safety for **German and Austrian markets**.



kaminhorn.ro





CHIMNEY PRODUCTION LINE

Elite DW25 is a universal metal chimney system of high performance. It is designed to provide a perfect balance between exceptional technical characteristics, safety, design and economy.

Elite DW25 system is a successful project which according to the standard EN1856-1 binds the maximum operating temperature (600 ° C) and the resistance to soot combustion (1000 ° C / 30min) with the minimum allowable distance of combustible material (50mm) and with the minimum allowable insulation (25mm). Thus the combination of maximum security, space-saving and cost-efficiency was obtained.

IMPROVEMENT OF EXISTING CHIMNEYS

- ✓ Insulation with high density made of ceramic fiber 25mm and operating temperature up to 1050°C + Continuous insulation without thermal flaws
- ✓ In the interior - stainless steel AISI 316 thickness 0,5mm and for Elite DW 25 Plus thickness 0,6mm
- ✓ In the exterior Stainless steel AISI 304 0,5mm
- ✓ The components are made from stainless steel resistant to the acids produced by condensation.
- ✓ We can paint the chimneys in any colour





kaminhorn.ro


Chimney Kits – 25 years warranty

Basic package
Elite DW25

Hanging chimney
Classification: T600-N1-D-Vm-L50050-G(50)

Quality

Inner – thickness **0,5mm** – material 1.4404
Outer – thickness **0,5mm** – material 1.4301
Insulation – thickness 25mm – ceramic fiber **128kg/m3**



	Part name	Code	Qty.
1	Rain Cap	ABL1611	-
2	Wind Cap	ABL1637	-
3	Stainless Steel Chimney Terminal Cone	ABL1228	1
4	Chimney Pipe Segment 1000mm	ABL1711	4
5	Chimney Pipe Segment 500mm	ABL1709	1
6	90° Smoke Duct Elbow	ABL1339	0 or 1
7	45° Smoke Duct Elbow	ABL1338	0 or 1
8	Cleaning Access Element	ABL1397	-
9	Condensate Base Level 0	ABL1045	-
10	Condensate Base with Bracket	ABL1015	1
11	Intermediate Pipe Clamp	ABL1184	8
12	Intermediate Pipe Clamp with Static Anchor	ABL2217	-
13	Wall Mounting Bracket - Fixed	ABL1139	1
14	Wall Mounting Bracket - Adjustable	ABL1150	-
15	Load Distribution Plate with Bracket	ABL1960	-
16	45° Deflection Bend	ABL1301	-
17	90° Deflection Bend	ABL1302	-
18	Reducer SP-DP	ABL2867	-

Your source of relaxation and comfort.



KAMINHORN

Basic package
Elite DW25

Base chimney
Classification: T600-N1-D-Vm-L50050-G(50)

Quality

Inner – thickness 0,5mm – material 1.4404
Outer – thickness 0,5mm – material 1.4301
Insulation – thickness 25mm – ceramic fiber 128kg/m3



	Part name	Code	Qty.
1	Rain Cap	ABL1611	-
2	Wind Cap	ABL1637	-
3	Stainless Steel Chimney Terminal Cone	ABL1228	1
4	Chimney Pipe Segment 1000mm	ABL1711	4
5	Chimney Pipe Segment 500mm	ABL1709	0
6	90° Smoke Duct Elbow	ABL1339	0 or 1
7	45° Smoke Duct Elbow	ABL1338	0 or 1
8	Cleaning Access Element	ABL1397	1
9	Condensate Base Level 0	ABL1045	1
10	Condensate Base with Bracket	ABL1015	0
11	Intermediate Pipe Clamp	ABL1184	7
12	Intermediate Pipe Clamp with Static Anchor	ABL2217	-
13	Wall Mounting Bracket – Fixed	ABL1139	1
14	Wall Mounting Bracket – Adjustable	ABL1150	-
15	Load Distribution Plate with Bracket	ABL1960	-
16	45° Deflection Bend	ABL1301	-
17	90° Deflection Bend	ABL1302	-
18	Reducer SP-DP	ABL2867	-



<i>Basic package</i> Elite DW25 Plus	<i>Hanging or Base chimney</i> Classification: T600-N1-D-Vm-L50050-G(50)
--	---

Quality	Inner – thickness 0,6mm – material 1.4404 Outer – thickness 0,5mm – material 1.4301 Insulation – thickness 25mm – ceramic fiber 160kg/m3
----------------	--

Price list ex-Works:

<u>KIT - complete system 5m (euro)</u>		Price Elite DW25 Base 0, 90		Price Elite DW25 Hanging, 90		Price Elite DW25 PLUS Base 0, 90		Price Elite DW25 PLUS Hanging, 90	
inner ϕ	outer ϕ	List price	Haas+Sohn special price -35%	List price	Haas+Sohn special price -35%	List price	Haas+Sohn special price -35%	List price	Haas+Sohn special price -35%
150	200	612	398	614	399	765	498	767	499
200	250	733	476	741	482	916	596	926	602

Notes:

- a full truck can load between 130 and 160 full kit systems of 5m length
- Kaminhorn can produce from 100 to 800mm inner ϕ diameter – residential and industrial.
- Fast delivery time directly from stock.
- Flexibility and adaptability according with customer request and legal requirements of each country from EU or non-EU.
- High quality standards for production and continuous improvements.
- Packaging according with customer requirements to optimize the transport cost. We can personalize with private label HAAS+SOHN logo. For special packaging we will request offers.
- for HAAS+SOHN we are open to work with exclusivity on Austria and German markets.

office@kaminhorn.ro
www.kaminhorn.ro